ESDIS Library Number: ESDIS05090

Earth Science Data Systems (ESDS) Program, HQ SMD

Spaceborne Mission/Instrument Science Data Requirements

Version 3.2



Headquarters Washington, DC

National Aeronautics and Space Administration

Program-Level Requirements Appendix (PLRA) Spaceborne Mission/Instrument – Science Data Requirements

The Program-Level Requirements Appendix (PLRA) is an appendix to the Flight Element (Earth Systematic Mission (ESM) or Earth System Science Pathfinder (ESSP)) Program Plan. The PLRA identifies the Level 1 mission, science, and programmatic requirements for the development and operation of the science mission/instrument. Section 4.5 of the PLRA identifies the Level 1 mission science data requirements.

Change History Log

| Effective Date | Description of Changes |
|----------------|---|
| 8/17/18 | Baseline document |
| 5/3/19 | Corrected table numbering; added Appendix A |
| | Abbreviations and Acronyms |
| 9/26/2019 | Updated with Open Source Software Policy |
| | Updated with reference to Table 4.5.2 |
| | Updated text clarifying Table 4.5.1 |
| | Added definition of latency below Table 4.5.1 |
| | Updated links |
| | Updated definition of latency below Table 4.5.1 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | 8/17/18 5/3/19 |

Spaceborne Mission/Instrument – Science Data Requirements

4.5 MISSION DATA REQUIREMENTS

4.5.1 SCIENCE DATA MANAGEMENT

- a) The << project name>> shall produce the standard science data products listed in Table 4.5.1. Standard data products are fully validated against Level 1 requirements.
- b) All data and the standard science data products listed in Table 4.5.1, along with the scientific source code for algorithm software, coefficients, and ancillary data used to generate these products shall be delivered to the <<designated NASA Earth Science Division-assigned Distributed Active Archive Center (DAAC)(s)>> in accordance with the NASA Earth Science Data and Information Policy specified at https://science.nasa.gov/earth-science/earth-science-data/data-information-policy/.
- c) Public release of these data shall conform to the NASA Earth Science Data and Information Policy.
- d) There shall be no period of exclusive access.
- e) All source code used to generate the standard products listed in Table 4.5.1 shall be developed in accordance with the NASA Earth Science Open Source Policy at https://earthdata.nasa.gov/earth-science-data-systems-program/policies/esds-open-source-policy.
- f) The source code shall be delivered to DAAC(s) at the time of the initial data delivery specified in Table 4.5.1.
- g) Updated source code shall be delivered to DAAC(s) throughout the lifetime of the project as new versions of software are developed.
- h) Science algorithms used to generate the standard science data products listed in Table 4.5.1 shall be documented in Algorithm Theoretical Basis Documents (ATBDs) and delivered to DAAC(s) at the time of the initial data delivery.
- i) Documents listed in Table 4.5.2 shall be delivered to the DAAC and updated per the schedule in the table.
- j) Updated ATBDs shall be delivered to DAAC(s) throughout the lifetime of the project.
- k) The <<project name>> shall coordinate with the <<designated NASA Earth Science Division-assigned Data Center(s)>> the release of product versions, to ensure completeness and accuracy of quality information, validation status, and metadata of the <<pre>corpiect/instrument name(s)>> science data products.
- The <<project name>> shall coordinate with the <<designated NASA Earth Science Division-assigned Data Center(s)>> on the data and information to be transferred at <<project name>> closeout.

4.5.1.1 SCIENCE DATA REQUIREMENTS

- a) The <<pre>roject/instrument name(s)>> science data product formats shall conform to the <<standard selected from the ESD-approved Data System Standards https://earthdata.nasa.gov/about-eosdis/requirements>>.
- b) The <<pre>roject/instrument name(s)>> science data products metadata shall conform to ISO 19115 Geographic Information - Metadata standards and adhere to the Metadata Requirements – Base Reference for NASA Earth Science Data Products document published at https://earthdata.nasa.gov/about-eosdis/requirements, and the <<pre>roject name>> shall baseline to a specific initial version before launch.
- c) For all standard data products that can be meaningfully represented as images, << project name>> shall generate full-resolution browse products, as defined in https://earthdata.nasa.gov/about/science-system-description/eosdis-components/global-imagery-browse-services-gibs.
- d) The <<pre>roject name>> shall transfer to the <<designated NASA Earth Science Divisionassigned DAAC(s)>> all the information and documentation required for long-term preservation of knowledge about the products resulting from <<pre>project name>>, as defined in the NASA Earth Science Data Preservation Content Specification document published at https://earthdata.nasa.gov/about-eosdis/requirements and shall baseline to a specific initial version.

Additional requirements may be added to this section to provide greater specificity to the science data requirements.

| Data Product | Description | First data delivery after IOC | Maximum data latency after first release |
|-----------------|--|----------------------------------|---|
| Level 1 | < <level 1<br="">description>></level> | <x months=""></x> | |
| Level 2 | < <level 2<br="">description>></level> | <y months=""></y> | <b days="" hours,=""> |
| Level 3 | < <level 3<br="">description>></level> | <z months=""></z> | <c days="" hours,=""></c> |

Table 4.5.1. << project name>> Data Products

Data latency is defined as the time elapsed between imaging, data retrieval, or satellite observation and the time data are available for public access via the internet. Delivery in Table 4.5.1 refers to the delivery of data from the Science Processing System to the DAAC and is not the public release date. The details shall be jointly determined by the project, Program Scientist, and ESD Data Systems Manager. Note – the data delivery schedule shall be established such that there is NO period of exclusive access to the data.

Table 4.5.2. << project name>> Milestones Related to Science Data, Metadata and Documentation

(<u>NOTE: This table may be more appropriate in project plan or elsewhere. In the event this table will be included outside of the PLRA please document the location)</u>

| Item | Description | Deliver to | Delivery Schedule |
|--|---|--|---|
| ESDIS-Flight Project Inter-Project Agreement | Agreement outlining respective projects' responsibilities regarding science data production, archiving and distribution | PE for ESDS | At or before KDP-B |
| Preliminary Data Management Plan (DMP) | Initial version of document following guidance at https://earthdata.nasa.gov/collaborate/new- missions/data-management-plan-guidance | PE for ESDS and Program Scientist | 2 months before KDP-C |
| ATBD | Algorithm Theoretical Basis Documents for products indicated in table 4.5.1. | Program Scientist | 3 months before KDP-C |
| DMP | Baseline version of DMP following https://earthdata.nasa.gov/collaborate/new- missions/data-management-plan-guidance | PE for ESDS and Program Scientist | 2 months before ORR |
| DAAC Interface Control Document | ICD between < <project's>> science data processing system and the ESD-assigned DAAC</project's> | ESDIS Project | KDP-D |
| Preservation Content Identification | List of items compatible with Preservation Content Specification (at https://earthdata.nasa.gov/about- eosdis/requirements) | ESD- Assigned DAAC | KDP-E |
| Processed and/or reprocessed data products | Standard Products listed in table 4.5.1 | ESD- Assigned DAAC | On-going during Operations Phase after initial data delivery indicated in table 4.5.1 |
| Product Quality Assessment | Information about quality of data products as they are generated and assessed; data quality guides and updates | ESD- Assigned DAAC | On-going during Operations Phase after initial data delivery indicated in table 4.5.1 |
| Source code | Source code implementing product generation algorithms | ESD- Assigned DAAC | With initial data delivery and update each time a new version is |

| | used |
|-----|------------------------|
| 1 1 | At Project closeout |

4.5.2 APPLIED SCIENCE DATA REQUIREMENTS

Beginning in Phase C, the <<project name>> shall organize and host a <<instrument/project name>> data product application workshop annually. The workshop will share information on <<instrument/project name>> science data applications and define potential applications that can be supported with existing <<pre>cyproject name>> data requirements. Results will be provided to the <<pre>c<project name>> science team and at other <<pre>cyproject name>> workshops and meetings.

| ATBD | Algorithm Theoretical Basis Document |
|-------|---|
| DAAC | Distributed Active Archive Center |
| DMP | Data Management Plan |
| ESD | Earth Science Division |
| ESDS | Earth Science Data Systems Program |
| ESDIS | Earth Science Data Information System |
| ESM | Earth Systematic Mission |
| ESSP | Earth System Science Pathfinder Program |
| IOC | Instruments Operations Checkout |
| ICD | Interface Control Document |
| KDP | Key Decision Point |
| PE | Program Executive |

Appendix A Abbreviations and Acronyms