

# Location Keywords

- [Element Description](#)
- [Best Practices](#)
- [Element Specification](#)
- [Metadata Validation and QA/QC](#)
  - [DIF 10](#)
  - [ECHO 10](#)
  - [ISO 19115-2 MENDS](#)
  - [ISO 19115-2 SMAP](#)
- [UMM Migration](#)
  - [ISO 19115-1](#)
- [History](#)
  - [UMM Versioning](#)
  - [ARC Documentation](#)

## Element Description

The Location Keywords element contains keywords that characterize the study area/region where data was collected. This allows users to narrow their searches to areas that suit their geographic interest. The Location Keywords are chosen from a controlled keyword hierarchy maintained in the [Keyword Management System \(KMS\)](#). A list of valid Location Keywords can be found here: [https://gcmd.earthdata.nasa.gov/kms/concepts/concept\\_scheme/locations?format=csv](https://gcmd.earthdata.nasa.gov/kms/concepts/concept_scheme/locations?format=csv).

## Best Practices

Location Keywords identify areas where data collection occurred and are provided in a hierarchical structure. The keywords can be chosen to classify broad study areas/regions or very specific places. However, it is suggested that location keywords are as specific as possible to aid in data discovery. Providing a Location Keyword is optional. If provided, the top level of the Location Keyword hierarchy must be provided (at a minimum). If a specific location keyword is not already included in the KMS, a request to have it added can be made through the [GCMD Keywords Community Forum](#).

### Examples:

LocationKeywords/Category: "CONTINENT"

LocationKeywords/Topic: "NORTH AMERICA"

LocationKeywords/Subregion1: "UNITED STATES"

LocationKeywords/Subregion2: "ALABAMA"

LocationKeywords/DetailedLocation: "THE UNIVERSITY OF ALABAMA IN HUNTSVILLE"

LocationKeywords/Category: "CONTINENT"

LocationKeywords/Topic: "NORTH AMERICA"

LocationKeywords/Subregion1: "CANADA"

LocationKeywords/Subregion2: "ONTARIO"

LocationKeywords/Category: "GEOGRAPHIC REGION"

LocationKeywords/Topic: "TROPICS"

## Element Specification


Providing a Location Keyword is optional. Multiple Location Keywords may be provided, if necessary (Cardinality: 0..\*).

| Model | Element                      | Type   | Usable Valid Values                          | Constraints    | Required?          | Cardinality | Notes                                                                                                                     |
|-------|------------------------------|--------|----------------------------------------------|----------------|--------------------|-------------|---------------------------------------------------------------------------------------------------------------------------|
| UMM-C | LocationKeywords /Category   | String | <a href="#">Location Category Keywords</a>   | KMS controlled | Yes, if applicable | 1           | If a Location Keyword is included in the metadata (it's optional), then a Category keyword must be provided at a minimum. |
| UMM-C | LocationKeywords /Type       | String | <a href="#">Location Type Keywords</a>       | KMS controlled | No                 | 0..1        |                                                                                                                           |
| UMM-C | LocationKeywords /Subregion1 | String | <a href="#">Location Subregion1 Keywords</a> | KMS controlled | No                 | 0..1        |                                                                                                                           |

|       |                                    |        |                                              |                                                |    |      |  |
|-------|------------------------------------|--------|----------------------------------------------|------------------------------------------------|----|------|--|
| UMM-C | LocationKeywords /Subregion2       | String | <a href="#">Location Subregion2 Keywords</a> | KMS controlled                                 | No | 0..1 |  |
| UMM-C | LocationKeywords /Subregion3       | String | <a href="#">Location Subregion3 Keywords</a> | KMS controlled                                 | No | 0..1 |  |
| UMM-C | LocationKeywords /DetailedLocation | String | n/a                                          | 1 - 80 characters<br>(Uncontrolled /Free-Text) | No | 0..1 |  |

## Metadata Validation and QA/QC

All metadata entering the CMR goes through the below process to ensure metadata quality requirements are met. All records undergo CMR validation before entering the system. The process of QA/QC is slightly different for NASA and non-NASA data providers. Non-NASA providers include interagency and international data providers and are referred to as the International Directory Network (IDN).



Please see the expandable sections below for flowchart details.

- Manual Review
  - Identify errors, discrepancies, or omissions.
  - Verify that all pertinent keywords have been applied.
  - Verify that existing facets and other controlled keyword values are consistent and suitable for the data.
- Automated Review
  - Check that the field has been populated.
  - Check that the field is populated with a valid value from KMS.
  - Check that the field value is not a duplicate.
  - Check that the 'Detailed\_Variable' field length is not greater than 80 characters.
- If this element is used, every location keyword must have at least the category sub-element populated.
- All location keyword sub-elements except for DetailedLocation must be valid according to the keyword management system.

### ARC Priority Matrix

| Priority Categorization          | Justification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Red = High Priority Finding      | <p>This element is categorized as highest priority when:</p> <ul style="list-style-type: none"> <li>• The Location Keyword does not align with the <a href="#">KMS</a>.               <ul style="list-style-type: none"> <li>◦ The Location Keyword does not exist in the <a href="#">KMS</a>.</li> <li>◦ A keyword(s) is missing from the hierarchy.</li> <li>◦ A keyword(s) is placed in the incorrect position of the hierarchy (e.g. a Subregion 2 keyword is placed in the Subregion 1 field).</li> </ul> </li> <li>• The Location Keyword is not appropriate for the dataset.</li> </ul> |
| Yellow = Medium Priority Finding | <p>This element is categorized as medium priority when:</p> <ul style="list-style-type: none"> <li>• A recommendation is made to add to an existing Location Keyword in the metadata (i.e. to extend a keyword hierarchy down to a more detailed keyword).</li> </ul>                                                                                                                                                                                                                                                                                                                          |

|                             |                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Blue = Low Priority Finding | <p>This element is categorized as low priority when:</p> <ul style="list-style-type: none"> <li>• A recommendation is made to add a relevant Location Keyword to the metadata.</li> <li>• A recommendation is made to remove a stand-alone instance of a keyword (i.e. "CONTINENT" or "GEOGRAPHIC LOCATION") when a more detailed hierarchy is also provided.</li> <li>• A recommendation is made to remove duplicate keywords.</li> </ul> |
| Green = No Findings /Issues | The element is provided and follows all applicable criteria specified in the best practices section above.                                                                                                                                                                                                                                                                                                                                 |

## ARC Automated Checks

ARC uses the [pyQuARC library](#) for automated metadata checks. Please see the [pyQuARC GitHub](#) for more information.

# Dialect Mappings

**DIF 9** (Note: DIF-9 is being phased out and will no longer be supported after 2018)

## DIF 10

Providing a Location is optional. Multiple Locations may be provided, if necessary (Cardinality: 0..\*).

| UMM-C Element                      | DIF 10 Path                   | Type   | Usable Valid Values                          | Constraints                                | Required in DIF 10? | Cardinality | Notes                                                                                                              |
|------------------------------------|-------------------------------|--------|----------------------------------------------|--------------------------------------------|---------------------|-------------|--------------------------------------------------------------------------------------------------------------------|
| LocationKeywords /Category         | Location /Location_Category   | String | <a href="#">Location Category Keywords</a>   | KMS controlled                             | Yes, if applicable  | 1           | If a Location is included in the metadata (it's optional), then a Location_Category must be provided at a minimum. |
| LocationKeywords /Type             | Location /Location_Type       | String | <a href="#">Location Type Keywords</a>       | KMS controlled                             | No                  | 0..1        |                                                                                                                    |
| LocationKeywords /Subregion1       | Location /Location_Subregion1 | String | <a href="#">Location Subregion1 Keywords</a> | KMS controlled                             | No                  | 0..1        |                                                                                                                    |
| LocationKeywords /Subregion2       | Location /Location_Subregion2 | String | <a href="#">Location Subregion2 Keywords</a> | KMS controlled                             | No                  | 0..1        |                                                                                                                    |
| LocationKeywords /Subregion3       | Location /Location_Subregion3 | String | <a href="#">Location Subregion3 Keywords</a> | KMS controlled                             | No                  | 0..1        |                                                                                                                    |
| LocationKeywords /DetailedLocation | Location /Detailed_Location   | String | n/a                                          | 1 - 80 characters (Uncontrolled/Free-Text) | No                  | 0..1        |                                                                                                                    |

## Example Mapping

DIF 10

```

<Location>
  <Location_Category>CONTINENT</Location_Category>
  <Location_Type>NORTH AMERICA</Location_Type>
  <Location_Subregion1>UNITED STATES<
/Location_Subregion1>
  <Location_Subregion2>ALBAMA</Location_Subregion2>
  <Detailed_Location>THE UNIVERSITY OF ALABAMA IN
HUNTSVILLE</Detailed_Location>
</Location>
<Location>
  <Location_Category>CONTINENT</Location_Category>
  <Location_Type>NORTH AMERICA</Location_Type>
  <Location_Subregion1>CANADA</Location_Subregion1>
  <Location_Subregion2>ONTARIO</Location_Subregion2>
</Location>

```

UMM

```

LocationKeywords: [
  {
    Category: "CONTINENT",
    Type: "NORTH AMERICA",
    Subregion1: "UNITED STATES",
    Subregion2: "ALABAMA",
    DetailedLocation: "THE UNIVERSITY OF ALABAMA IN
HUNTSVILLE"
  },
  {
    Category: "CONTINENT",
    Type: "NORTH AMERICA",
    Subregion1: "CANADA",
    Subregion2: "ONTARIO"
  }
],

```

## ECHO 10

Providing a Spatial Keyword is optional. Multiple Spatial Keywords may be provided, if necessary (Cardinality: 0..\*).

| UMM-C Element                      | ECHO 10 Path                          | Type   | Usable Valid Values       | Constraints    | Required in ECHO10? | Cardinality | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------------------|---------------------------------------|--------|---------------------------|----------------|---------------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LocationKeywords /Category         | /Collection /SpatialKeywords /Keyword | String | Any GCMD Location Keyword | KMS controlled | No                  | 0..*        | ECHO 10 only has 1 field for spatial keywords. Therefore, a keyword from any position in the GCMD location keyword hierarchy can be provided in this field. If a value is provided that is not in the keyword list, then it will map to Location Category Keyword "OTHER" followed by a Location Type Keyword of the unique value in the UMM (see mapping example below, where the spatial keyword 'THE UNIVERSITY OF ALABAMA IN HUNTSVILLE' is not included in the GCMD location keyword list.) |
| LocationKeywords /Type             |                                       |        |                           |                |                     |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| LocationKeywords /Subregion1       |                                       |        |                           |                |                     |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| LocationKeywords /Subregion2       |                                       |        |                           |                |                     |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| LocationKeywords /Subregion3       |                                       |        |                           |                |                     |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| LocationKeywords /DetailedLocation |                                       |        |                           |                |                     |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

### Example Mapping

ECHO 10

```

<SpatialKeywords>
  <Keyword>ONTARIO</Keyword>
  <Keyword>THE UNIVERSITY OF ALABAMA IN HUNTSVILLE<
/Keyword>
</SpatialKeywords>

```

UMM

```

LocationKeywords:
{
  Category: "CONTINENT",
  Type: "NORTH AMERICA",
  Subregion1: "CANADA",
  Subregion2: "ONTARIO"
}
{
  Category: "OTHER",
  Type: "THE UNIVERSITY OF ALABAMA IN HUNTSVILLE"
},
],

```

## ISO 19115-2 MENDS

Providing a Location Keyword is optional. Multiple Location Keywords may be provided, if necessary (Cardinality: 0..\*).

| UMM-C Element                                                                                                                                                                                                                    | ISO 19115-2 MENDS Path                                                                                                                                                                                                                                                   | Type     | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LocationKeywords<br>/Category<br><br>LocationKeywords<br>/Type<br><br>LocationKeywords<br>/Subregion1<br><br>LocationKeywords<br>/Subregion2<br><br>LocationKeywords<br>/Subregion3<br><br>LocationKeywords<br>/DetailedLocation | /gmi:MI_Metadata/gmd:identificationInfo/gmd:MD_DataIdentification/gmd:descriptiveKeywords/gmd:MD_Keywords/gmd:keyword/gco:CharacterString (list each value of the keyword hierarchy delimited by &gt; )                                                                  | String   | KMS controlled. Valid Location Keywords can be found here: <a href="https://gcmd.earthdata.nasa.gov/kms/concepts/concept_scheme/locations?format=csv">https://gcmd.earthdata.nasa.gov/kms/concepts/concept_scheme/locations?format=csv</a><br><br>This is where the entire keyword hierarchy should be listed. Each keyword in the hierarchy must be separated by "&gt;". If any keyword is missing and there exists a keyword later in the hierarchy (such as DetailedLocation), use NONE to fill in the values in-between. The CMR will not translate the NONE values as they are only used to place each keyword in its correct space in the hierarchy. |
|                                                                                                                                                                                                                                  | /gmi:MI_Metadata/gmd:identificationInfo/gmd:MD_DataIdentification/gmd:descriptiveKeywords/gmd:MD_Keywords/gmd:type/MD_KeywordTypeCode<br><br>codeList="https://cdn.earthdata.nasa.gov/iso/resources/Codelist/gmxCodetlists.xml#MD_KeywordTypeCode" codeListValue="place" | Codelist | codeList= <a href="https://cdn.earthdata.nasa.gov/iso/resources/Codelist/gmxCodetlists.xml#MD_KeywordTypeCode">https://cdn.earthdata.nasa.gov/iso/resources/Codelist/gmxCodetlists.xml#MD_KeywordTypeCode</a><br><br>Select the value "place" from the codelist. This codelist value does not directly map to a UMM element; choosing "place" indicates to CMR that the provided value should be mapped to 'Location Keywords'.                                                                                                                                                                                                                            |

### Example Mapping

ISO 19115-2 MENDS

```

<gmi:MI_Metadata>
  ...
  <gmd:identificationInfo>
    <gmd:MD_DataIdentification>
      ...
      <gmd:descriptiveKeywords>
        <gmd:MD_Keywords>
          <gmd:keyword>
            <gco:CharacterString>CONTINENT&gt;NORTH
AMERICA&gt;UNITED STATES&gt;ALABAMA&gt;NONE&gt;THE
UNIVERSITY OF ALABAMA IN HUNTSVILLE</CharacterString>
          </gmd:keyword>
          <gmd:keyword>
            <gco:CharacterString>CONTINENT&gt;NORTH
AMERICA&gt;CANADA&gt;ONTARIO</CharacterString>
          </gmd:keyword>
          <gmd:type>
            <gmd:MD_KeywordTypeCode codeList="
https://cdn.earthdata.nasa.gov/iso/resources/Codelist
/gmx/Codelists.xml#MD_KeywordTypeCode" codeListValue="
place">place</gmd:MD_KeywordTypeCode>
          </gmd:type>
        </gmd:MD_Keywords>
      </gmd:descriptiveKeywords>
      ...
    </gmd:MD_DataIdentification>
  </gmd:identificationInfo>
  ...
</gmi:MI_Metadata>

```

#### UMM

```

LocationKeywords: [
  {
    Category: "CONTINENT",
    Type: "NORTH AMERICA",
    Subregion1: "UNITED STATES",
    Subregion2: "ALABAMA"
    DetailedLocation: "THE UNIVERSITY OF ALABAMA IN
HUNTSVILLE"
  },
  {
    Category: "CONTINENT",
    Type: "NORTH AMERICA",
    Subregion1: "CANADA",
    Subregion2: "ONTARIO"
  }
],

```

## ISO 19115-2 SMAP

Providing a Location Keyword is optional. Multiple Location Keywords may be provided, if necessary (Cardinality: 0..\*).

| UMM-C Element | ISO 19115-2 SMAP Path | Type | Notes |
|---------------|-----------------------|------|-------|
|---------------|-----------------------|------|-------|

|                                   |                                                                                                                                                                                                                                                                                                                                                                                                                        |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LocationKeywords/Category         | /gmd:DS_Series/gmd:seriesMetadata/gmi:MI_Metadata/gmd:identificationInfo/gmd:MD_DataIdentification/gmd:descriptiveKeywords/ gmd:MD_Keywords/gmd:keyword/gco:CharacterString (list each value of the keyword hierarchy delimited by &gt; )                                                                                                                                                                              | String   | <p>KMS controlled. Valid Location Keywords can be found here: <a href="https://gcmd.earthdata.nasa.gov/kms/concepts/concept_scheme/locations?format=csv">https://gcmd.earthdata.nasa.gov/kms/concepts/concept_scheme/locations?format=csv</a></p> <p>This is where the entire keyword hierarchy should be listed. Each keyword in the hierarchy must be separated by "&amp;gt;". If any keyword is missing and there exists a keyword later in the hierarchy (such as DetailedLocation), use NONE to fill in the values in-between. The CMR will not translate the NONE values as they are only used to place each keyword in its correct space in the hierarchy.</p> |
| LocationKeywords/Type             |                                                                                                                                                                                                                                                                                                                                                                                                                        |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| LocationKeywords/Subregion1       |                                                                                                                                                                                                                                                                                                                                                                                                                        |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| LocationKeywords/Subregion2       |                                                                                                                                                                                                                                                                                                                                                                                                                        |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| LocationKeywords/Subregion3       |                                                                                                                                                                                                                                                                                                                                                                                                                        |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| LocationKeywords/DetailedLocation |                                                                                                                                                                                                                                                                                                                                                                                                                        |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                                   | /gmd:DS_Series/gmd:seriesMetadata/gmi:MI_Metadata/gmd:identificationInfo/gmd:MD_DataIdentification/gmd:descriptiveKeywords/ gmd:MD_Keywords/gmd:type/MD_KeywordTypeCode<br><br>codeList=" <a href="https://cdn.earthdata.nasa.gov/iso/resources/Codelist/gmxCodelists.xml#MD_KeywordTypeCode">https://cdn.earthdata.nasa.gov/iso/resources/Codelist/gmxCodelists.xml#MD_KeywordTypeCode</a> "<br>codeListValue="place" | Codelist | codeList= <a href="https://cdn.earthdata.nasa.gov/iso/resources/Codelist/gmxCodelists.xml#MD_KeywordTypeCode">https://cdn.earthdata.nasa.gov/iso/resources/Codelist/gmxCodelists.xml#MD_KeywordTypeCode</a><br><br>Select the value "place" from the codelist. This codelist value does not directly map to a UMM element; choosing "place" indicates to CMR that the provided value should be mapped to 'Location Keywords'.                                                                                                                                                                                                                                         |

### Example Mapping

#### ISO 19115-2 SMAP

```

<gmd:DS_Series>
  <gmd:seriesMetadata>
    <gmi:MI_Metadata>
      ...
      <gmd:identificationInfo>
        <gmd:MD_DataIdentification>
          ...
          <gmd:descriptiveKeywords>
            <gmd:MD_Keywords>
              <gmd:keyword>
                <gco:CharacterString>CONTINENT&gt;
                NORTH AMERICA&gt;UNITED STATES&gt;ALABAMA&gt;NONE&gt;
                THE UNIVERSITY OF ALABAMA IN HUNTSVILLE<
              /CharacterString>
            /gmd:keyword>
            <gmd:keyword>
              <gco:CharacterString>CONTINENT&gt;
              NORTH AMERICA&gt;CANADA&gt;ONTARIO</CharacterString>
            /gmd:keyword>
            <gmd:type>
              <gmd:MD_KeywordTypeCode codeList="
https://cdn.earthdata.nasa.gov/iso/resources/Codelist
/gmxCodelists.xml#MD_KeywordTypeCode" codeListValue="
place">place</gmd:MD_KeywordTypeCode>
              /gmd:type>
            /gmd:MD_Keywords>
          /gmd:descriptiveKeywords>
        ...
      /gmd:MD_DataIdentification>
    /gmd:identificationInfo>
    ...
  /gmi:MI_Metadata>
</gmd:seriesMetadata>
</gmd:DS_Series>

```

UMM

```

LocationKeywords: [
  {
    Category: "CONTINENT",
    Type: "NORTH AMERICA",
    Subregion1: "UNITED STATES",
    Subregion2: "ALABAMA"
    DetailedLocation: "THE UNIVERSITY OF ALABAMA IN
HUNTSVILLE"
  },
  {
    Category: "CONTINENT",
    Type: "NORTH AMERICA",
    Subregion1: "CANADA",
    Subregion2: "ONTARIO"
  }
],

```

## UMM Migration

None

## Future Mappings

### ISO 19115-1

Providing a Location Keyword is optional. Multiple Location Keywords may be provided, if necessary (Cardinality: 0..\*).

| UMM-C Element                                                                                                                                                                              | ISO 19115-1 Path                                                                                                                                                                                                                                                                                                                                                                          | Type     | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LocationKeywords /Category<br>LocationKeywords /Type<br>LocationKeywords /Subregion1<br>LocationKeywords /Subregion2<br>LocationKeywords /Subregion3<br>LocationKeywords /DetailedLocation | /mdb:MD_Metadata/mdb:identificationInfo/mri:MD_DataIdentification/mri:descriptiveKeywords/mri:MD_Keywords/ mri:keyword/gco:CharacterString<br><br>(list each value of the keyword hierarchy delimited by &gt; )                                                                                                                                                                           | String   | KMS controlled. Valid Location Keywords can be found here: <a href="https://gcmd.earthdata.nasa.gov/kms/concepts/concept_scheme/locations?format=csv">https://gcmd.earthdata.nasa.gov/kms/concepts/concept_scheme/locations?format=csv</a><br><br>This is where the entire keyword hierarchy should be listed. Each keyword in the hierarchy must be separated by "&gt;". If any keyword is missing and there exists a keyword later in the hierarchy (such as DetailedLocation), use NONE to fill in the values in-between. The CMR will not translate the NONE values as they are only used to place each keyword in its correct space in the hierarchy. |
|                                                                                                                                                                                            | /mdb:MD_Metadata/mdb:identificationInfo/mri:MD_DataIdentification/mri:descriptiveKeywords/mri:MD_Keywords/ mri:type/mri:MD_KeywordTypeCode<br><br>codeList=" <a href="https://cdn.earthdata.nasa.gov/iso/resources/Codelist/gmxCodelists.xml#MD_KeywordTypeCode">https://cdn.earthdata.nasa.gov/iso/resources/Codelist/gmxCodelists.xml#MD_KeywordTypeCode</a> "<br>codeListValue="place" | Codelist | codeList= <a href="https://cdn.earthdata.nasa.gov/iso/resources/Codelist/gmxCodelists.xml#MD_KeywordTypeCode">https://cdn.earthdata.nasa.gov/iso/resources/Codelist/gmxCodelists.xml#MD_KeywordTypeCode</a><br><br>Select the value "place" from the codelist. This codelist value does not directly map to a UMM element; choosing "place" indicates to CMR that the provided value should be mapped to 'Location Keywords'.                                                                                                                                                                                                                              |

### Example Mapping

ISO 19115-1

```

<mdb:MD_Metadata>
  ...
  <mdb:identificationInfo>
    <mri:MD_DataIdentification>
      ...
      <mri:descriptiveKeywords>
        <mri:MD_Keywords>
          <mri:keyword>
            <gco:CharacterString>CONTINENT&gt;NORTH
AMERICA&gt;UNITED STATES&gt;ALABAMA&gt;NONE&gt;THE
UNIVERSITY OF ALABAMA IN HUNTSVILLE</CharacterString>
          </mri:keyword>
          <mri:keyword>
            <gco:CharacterString>CONTINENT&gt;NORTH
AMERICA&gt;CANADA&gt;ONTARIO</CharacterString>
          </mri:keyword>
          <mri:type>
            <mri:MD_KeywordTypeCode codeList="
https://cdn.earthdata.nasa.gov/iso/resources/Codelist
/gmx/Codelists.xml#MD_KeywordTypeCode" codeListValue="
place">place</gmd:MD_KeywordTypeCode>
          </mri:type>
        </mri:MD_Keywords>
      </mri:descriptiveKeywords>
      ...
    </mri:MD_DataIdentification>
  </mdb:identificationInfo>
  ...
</mdb:MD_Metadata>

```

## UMM

```

LocationKeywords: [
  {
    Category: "CONTINENT",
    Type: "NORTH AMERICA",
    Subregion1: "UNITED STATES",
    Subregion2: "ALABAMA"
    DetailedLocation: "THE UNIVERSITY OF ALABAMA IN
HUNTSVILLE"
  },
  {
    Category: "CONTINENT",
    Type: "NORTH AMERICA",
    Subregion1: "CANADA",
    Subregion2: "ONTARIO"
  }
],

```

## History

### UMM Versioning

| Version | Date      | What Changed                                                                                   |
|---------|-----------|------------------------------------------------------------------------------------------------|
| 1.15.5  | 12/3/2020 | No changes were made for Location Keywords during the transition from version 1.15.4 to 1.15.5 |
| 1.15.4  | 9/18/2020 | No changes were made for Location Keywords during the transition from version 1.15.3 to 1.15.4 |
| 1.15.3  | 7/1/2020  | No changes were made for Location Keywords during the transition from version 1.15.2 to 1.15.3 |
| 1.15.2  | 5/20/2020 | No changes were made for Location Keywords during the transition from version 1.15.1 to 1.15.2 |
| 1.15.1  | 3/25/2020 | No changes were made for Location Keywords during the transition from version 1.15.0 to 1.15.1 |
| 1.15.0  | 2/26/2020 | No changes were made for Location Keywords during the transition from version 1.14.0 to 1.15.0 |

|        |            |                                                                                                |
|--------|------------|------------------------------------------------------------------------------------------------|
| 1.14.0 | 10/21/2019 | No changes were made for Location Keywords during the transition from version 1.13.0 to 1.14.0 |
| 1.13.0 | 04/11/2019 | No changes were made for Location Keywords during the transition from version 1.12.0 to 1.13.0 |
| 1.12.0 | 01/22/2019 | No changes were made for Location Keywords during the transition from version 1.11.0 to 1.12.0 |
| 1.11.0 | 11/28/2018 | No changes were made for Location Keywords during the transition from version 1.10.0 to 1.11.0 |
| 1.10.0 | 05/02/2018 | No changes were made for Location Keywords during the transition from version 1.9.0 to 1.10.0  |

## ARC Documentation

| Version | Date       | What Changed                                                                              | Author                          |
|---------|------------|-------------------------------------------------------------------------------------------|---------------------------------|
| 1.0     | 02/01/2018 | Recommendations/priority matrix transferred from internal ARC documentation to wiki space | <a href="#">Jeanne' le Roux</a> |