


Publish ArcGIS Mosaic Dataset Image Service with Server

ArcGIS Server from AWS Marketplace can't publish mosaic dataset image service by default. The document [1] says both [ArcGIS GIS Server](#) and [ArcGIS Image Server](#) are required to publish mosaic dataset.


Step-by-step guide

Installation guide for ArcGIS Image Server is provided in [2].

1. In Step 4, there's no authorization wizard for Linux [that is equivalent to Windows](#). However, it was already done silently using CLI.
 - a. If you have X-windows, you can try GUI with `/arcgis/server/tools/authorizeSoftware`.
2. Create a user account in Portal with Creator and Administrator role.
3. Allow `*gisdemo.net` domain as Trusted site in your Internet Explorer setting.
4. Launch ArcGIS Pro. Login to Portal.
5. Select Favorites. Add server that is federated with Portal. Add AWS RDS as well.
6. Create mosaic dataset.
7. Right click Server Connection (with publishing privileges) from **Catalog Pane**. Click **Publish**. Click **Image Service**.
8. Click **Configuration** tab.
9. Edit Image Service properties to include **Pixels**. This will allow user to click a point and visualize historical plot.



10. Select WCS and WMS and press Publish.
11. You can get the URLs for WCS and WMS from ArcGIS Server manager. Please note that there is **no /rest/** in the path (cf. the REST interface for ArcGIS Map service).
 - a. `https://arcgis-s.gisdemo.net/arcgis/services/mosaic_dataset_name/ImageServer/WMSServer`
 - b. `https://arcgis-s.gisdemo.net/arcgis/services/mosaic_dataset_name/ImageServer/WCSServer`
12. Use the above URLs for QGIS to test the enabled services. Please note the **"Returned legend image is flawed"** error message. This occurs for WMS only, not WCS.



i If the ArcGIS Image Server role is not licensed on the ArcGIS Server, it will look like below:

[esri.com](#) | [ArcGIS Enterprise](#) | [Sign Out](#) | [Help](#)

ArcGIS Server Manager

Services
Site
Security
Logs

GIS Server
Web Adaptor
Software Authorization
Settings

ArcGIS Server Software Authorization [Help](#)


Version: 10.7.1 (build 11595)


The ArcGIS Server is licensed for the following roles and extensions.

Role	Expiration Date
GIS Server Advanced	Never

Extension	Expiration Date
Network Analyst	Never

To modify the roles, edition, level, and extensions your server is licensed for launch the Software Authorization tool. If you are using a GUI, the Software Authorization tool can be launched by using the 'Authorize ArcGIS Server' item in the Linux Applications menu. If you are using a terminal or ssh session, you can launch the Software Authorization tool by running `/arcgis/server/tools/authorizeSoftware`.

 ArcGIS Image Server is also required when publishing a map document containing a mosaic dataset or raster layer using the Mosaic function in its function chain. Without ArcGIS Image Server, the services created from these documents will not contain the mosaic dataset or layer.

 Esri does not provide technical support for provisioning and configuring cloud infrastructure beyond what ArcGIS Enterprise deployment tooling creates and manages as part of its normal operations. For cloud platforms for which Esri does not provide specialized deployment tooling, support is limited to troubleshooting software-specific issues.

References

1. <https://enterprise.arcgis.com/en/server/latest/publish-services/linux/publishing-image-services.htm>
2. <https://enterprise.arcgis.com/en/server/latest/get-started/linux/steps-to-get-arcgis-image-server-up-and-running.htm>

Related articles

- [Build Multi-dimensional Information](#)
- [Publish ArcGIS Mosaic Dataset Image Service with Server](#)
- [Run arcpy on ArcGIS Windows](#)
- [Install xarray on ArcGIS Notebook Server](#)
- [Measure the performance of Image Services](#)